

Customer Management Report (Bakersfield) All Detection Types

01-Apr-2014 to 30-Apr-2014

Operator Id: %

		BA-CAOA-01	BA-CAST-01	BA-CHBR-01	BA-COTR-01	BA-COTR-03	BA-M199-01	BA-MIRE-01	BA-OACA-01	BA-OSBE-01	BA-STCA-01	BA-WHWI-01	BA-WIWH-01	TOTAL
Total Processed Incidents		83	122	64	40	12	38	115	78	141	137	182	87	1099
Less Uncontrollable Factors														
Obstruction	Driver Obstruction/Duckers	3	7	1	3	0	3	5	6	3	3	2	0	36
	Motor Cycle Helmet	0	0	0	0	0	0	1	0	0	0	0	0	1
	Plate Obstruction	3	6	3	1	0	0	5	1	2	2	6	0	29
	Signal Obstruction	0	0	0	0	0	0	0	0	0	1	0	0	1
	Vehicle Obstruction	4	3	0	0	0	0	2	2	0	5	3	1	20
Police Rejects	Emergency Vehicle Responding	0	2	2	0	2	0	1	1	2	3	2	0	15
	Incorrect/Incomplete DMV	0	0	0	0	0	0	0	0	0	0	1	1	2
	Invalid Offense	0	0	0	0	2	0	2	0	0	0	0	0	4
	Plate Obstruction (PD)	0	0	0	0	0	0	0	1	0	0	0	0	1
	Safe Turn On Red	0	0	0	0	0	0	0	0	1	0	8	0	9
	Sun Glare	1	1	3	0	0	0	2	2	2	2	0	0	13
Policy/Weather	Extended Vehicle	0	0	0	0	0	0	3	0	1	0	1	0	5
	Sun Glare	0	0	0	0	0	0	6	6	10	6	16	0	44
	Weather/Nature	1	1	0	0	0	0	2	0	2	1	0	0	7
Registration Issues	Out of Country Plate	0	0	0	0	0	0	0	0	0	1	2	0	3
	Paper Plates	7	2	5	2	0	2	6	3	8	6	12	2	55
	Wrong or No DMV	2	7	1	1	1	0	2	1	1	5	1	1	23
Total	21	29	15	7	5	5	37	23	32	35	54	5	268	
Sub Total Violations		62	93	49	33	7	33	78	55	109	102	128	82	831
Less in Progress		0	0	0	0	0	0	0	0	0	0	0	0	0
Available For Prosecution		62	93	49	33	7	33	78	55	109	102	128	82	831
Less Rejects														
Camera Malfunction	Face Camera Focus Blurry	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	2-03%	0-00%	0-00%	3-03%	1-01%	0-00%	6-01%
	Face Not in Frame	0-00%	2-02%	0-00%	1-03%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	12-15%	15-02%
	Image Missing	0-00%	1-01%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	1-00%
	Misc Camera Issue	0-00%	1-01%	0-00%	0-00%	0-00%	0-00%	0-00%	2-04%	1-01%	0-00%	0-00%	6-07%	10-01%
	Plate Burn Out	0-00%	0-00%	1-02%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	1-00%
	Plate Not in Frame	0-00%	0-00%	1-02%	0-00%	0-00%	1-03%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	2-00%
	Rear Plate Camera Blurry	0-00%	0-00%	2-04%	0-00%	0-00%	0-00%	1-01%	0-00%	0-00%	0-00%	0-00%	0-00%	3-00%
	Rear Plate No Flash	0-00%	0-00%	0-00%	0-00%	1-14%	0-00%	0-00%	0-00%	1-01%	0-00%	0-00%	0-00%	2-00%
	Scene Image Flash Inappropriate	0-00%	0-00%	0-00%	1-03%	0-00%	0-00%	0-00%	0-00%	0-00%	2-02%	0-00%	0-00%	3-00%
Police Rejects	Driver Unidentifiable images poor	1-02%	5-05%	7-14%	0-00%	1-14%	10-30%	10-13%	9-16%	15-14%	12-12%	16-12%	0-00%	86-10%
	Red-light not visible in	1-02%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	1-01%	0-00%	0-00%	2-00%
Process Issues	Too Old	5-08%	4-04%	0-00%	1-03%	0-00%	0-00%	3-04%	4-07%	6-06%	5-05%	8-06%	3-04%	39-05%

Generated By: SPEERY

Generated On: 8/15/2014 8:57:45 AM

Customer Management Report (Bakersfield) All Detection Types

01-Apr-2014 to 30-Apr-2014

Operator Id: %

	BA-CAOA-01	BA-CAST-01	BA-CHBR-01	BA-COTR-01	BA-COTR-03	BA-MI99-01	BA-MIRE-01	BA-OACA-01	BA-OSBE-01	BA-STCA-01	BA-WHMI-01	BA-WIWH-01	TOTAL
Total	7-11%	13-14%	11-22%	3-09%	2-29%	11-33%	16-21%	15-27%	23-21%	23-23%	25-20%	21-26%	170-20%
Approved Violations	55-89%	80-86%	38-78%	30-91%	5-71%	22-67%	62-79%	40-73%	86-79%	79-77%	103-80%	61-74%	661-80%
Total Notices Printed	55-89%	80-86%	38-78%	30-91%	5-71%	22-67%	62-79%	40-73%	86-79%	79-77%	103-80%	61-74%	661-80%

Legend: (P) = Production (I) = Inoperative

Note: If you selected "All" from the "Approach:" drop down list, the statuses reflected in this report will only indicate the current

Generated By: SPEERY

Generated On: 8/15/2014 8:57:45 AM

Customer Management Report (Bakersfield) All Detection Types

01-May-2014 to 31-May-2014

Operator Id: %

	BA-CAOA-01	BA-CAST-01	BA-CHBR-01	BA-COTR-01	BA-COTR-03	BA-M199-01	BA-MIRE-01	BA-OACA-01	BA-OSBE-01	BA-STCA-01	BA-WHMI-01	BA-WIWH-01	TOTAL	
Total Processed Incidents	42	120	69	35	12	38	141	52	178	160	194	98	1139	
Less Uncontrollable Factors														
Obstruction	Driver Obstruction/Duckers	1	6	2	1	0	0	6	1	1	1	0	1	20
	Motor Cycle Helmet	0	0	1	0	0	0	0	0	0	0	0	0	1
	Plate Obstruction	1	2	1	3	0	0	6	2	1	2	7	2	27
	Vehicle Obstruction	0	6	0	0	0	0	3	2	0	2	5	0	18
Police Rejects	Emergency Vehicle Responding	0	1	3	4	1	0	2	1	2	3	6	2	25
	Gender Mismatch	1	0	0	0	0	0	0	0	0	0	0	1	2
	Incorrect/Incomplete DMV	0	0	1	0	0	0	0	0	1	0	0	0	2
	Invalid Offense	0	0	0	0	0	0	0	0	0	0	0	1	1
	Multiple vehicles in frame	0	1	1	0	0	0	0	0	1	1	0	0	4
	Safe Turn On Red	0	0	0	0	0	0	0	0	3	0	7	0	10
	Sun Glare	3	1	0	0	0	0	4	0	1	4	5	0	18
Policy/Weather	Extended Vehicle	0	0	0	2	0	0	0	0	0	0	1	0	3
	Sun Glare	0	0	0	0	0	0	0	1	0	1	1	0	3
Registration Issues	Paper Plates	2	4	11	2	1	2	10	2	7	3	13	4	61
	Wrong or No DMV	1	3	1	0	1	0	2	0	5	6	4	3	26
Total		9	24	21	12	3	2	33	9	22	23	49	14	221
Sub Total Violations		33	96	48	23	9	36	108	43	156	137	145	84	918
Less in Progress		0	0	0	0	0	0	0	0	0	0	0	0	0
Available For Prosecution		33	96	48	23	9	36	108	43	156	137	145	84	918
Less Rejects														
Camera Malfunction	Face Camera Focus Blurry	0-00%	1-01%	0-00%	1-04%	0-00%	1-03%	0-00%	0-00%	0-00%	1-01%	1-01%	0-00%	5-01%
	Face Not in Frame	0-00%	0-00%	0-00%	2-09%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	2-00%
	Image Missing	0-00%	1-01%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	1-00%
	Misc Camera Issue	0-00%	1-01%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	3-07%	0-00%	1-01%	0-00%	5-01%
	Plate Burn Out	0-00%	0-00%	1-02%	0-00%	0-00%	0-00%	0-00%	0-00%	1-01%	0-00%	0-00%	0-00%	2-00%
	Plate Not in Frame	0-00%	1-01%	1-02%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	2-00%
	Rear Plate Camera Blurry	2-06%	0-00%	0-00%	1-04%	0-00%	0-00%	4-04%	0-00%	0-00%	0-00%	0-00%	0-00%	7-01%
	Rear Plate Flash Inappropriate	0-00%	0-00%	0-00%	1-04%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	1-00%
	Rear Plate No Flash	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	1-01%	0-00%	0-00%	0-00%	1-00%
Police Rejects	Driver Unidentifiable images poor	3-09%	8-08%	4-08%	0-00%	0-00%	10-28%	22-20%	5-12%	19-12%	21-15%	14-10%	8-10%	114-12%
	Red-light not visible in	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	2-01%	0-00%	0-00%	2-00%
Process Issues	Too Old	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	1-01%	0-00%	0-00%	1-00%
Total		5-15%	12-12%	6-12%	5-22%	0-00%	11-31%	26-24%	8-19%	21-13%	26-19%	15-10%	8-10%	143-16%
Approved Violations		28-85%	84-88%	42-88%	18-78%	9-100%	25-69%	82-76%	35-81%	135-87%	111-81%	130-90%	76-90%	775-84%

Generated By: SPEERY

Generated On: 8/15/2014 8:58:25 AM

Customer Management Report (Bakersfield) All Detection Types

01-May-2014 to 31-May-2014

Operator Id: %

	BA-CAOA-01	BA-CAST-01	BA-CHBR-01	BA-COTR-01	BA-COTR-03	BA-MI99-01	BA-MIRE-01	BA-OACA-01	BA-OSBE-01	BA-STCA-01	BA-WHMI-01	BA-WIWH-01	TOTAL
Total Notices Printed	28-85%	84-88%	42-88%	18-78%	9-100%	25-69%	82-76%	35-81%	135-87%	111-81%	130-90%	76-90%	775-84%

Legend: (P) = Production (I) = Inoperative

Note: If you selected "All" from the "Approach:" drop down list, the statuses reflected in this report will only indicate the current

Generated By: SPEERY

Generated On: 8/15/2014 8:58:25 AM

Customer Management Report (Bakersfield) All Detection Types

01-Jun-2014 to 30-Jun-2014

Operator Id: %

		BA-CAOA-01	BA-CAST-01	BA-CHBR-01	BA-COTR-01	BA-COTR-03	BA-M199-01	BA-MIRE-01	BA-OACA-01	BA-OSBE-01	BA-STCA-01	BA-WHMI-01	BA-WIWH-01	TOTAL
Total Processed Incidents		29	118	43	26	12	24	88	58	157	132	166	91	944
Less Uncontrollable Factors														
Obstruction	Driver Obstruction/Duckers	7	5	1	2	0	2	6	2	3	2	1	0	31
	Motor Cycle Helmet	0	0	0	0	0	1	1	1	0	1	0	0	4
	Plate Obstruction	2	1	0	1	0	1	9	3	2	1	1	0	21
	Vehicle Obstruction	3	4	0	0	0	0	0	2	1	5	2	2	19
Police Rejects	Emergency Vehicle Responding	0	0	0	2	2	0	3	0	4	0	2	0	13
	Invalid Offense	0	0	0	0	1	0	1	0	2	0	1	1	6
	Multiple vehicles in frame	0	4	0	0	0	0	0	0	0	2	0	0	6
	Safe Turn On Red	0	0	0	0	0	0	0	0	3	0	7	0	10
	Sun Glare	0	0	2	0	0	0	1	4	3	11	6	0	27
Policy/Weather	Extended Vehicle	0	1	0	0	0	0	0	0	0	0	3	0	4
	Sun Glare	0	0	0	1	0	1	0	1	0	2	2	0	7
Registration Issues	Paper Plates	1	5	2	2	0	1	7	3	6	2	17	5	51
	Wrong or No DMV	2	2	1	0	0	0	0	2	6	2	2	1	18
Total		15	22	6	8	3	6	28	18	30	28	44	9	217
Sub Total Violations		14	96	37	18	9	18	60	40	127	104	122	82	727
Less in Progress		0	0	0	0	0	0	0	0	0	0	0	0	0
Available For Prosecution		14	96	37	18	9	18	60	40	127	104	122	82	727
Less Rejects														
Camera Malfunction	Face Camera Flash	0-00%	0-00%	0-00%	0-00%	0-00%	1-06%	1-02%	0-00%	1-01%	0-00%	0-00%	0-00%	3-00%
	Face Camera Focus Blurry	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	1-01%	0-00%	0-00%	0-00%	1-00%
	Image Missing	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	1-02%	0-00%	0-00%	0-00%	0-00%	1-00%
	Misc Camera Issue	1-07%	3-03%	0-00%	0-00%	0-00%	0-00%	0-00%	1-02%	2-02%	0-00%	0-00%	0-00%	7-01%
	Rear Plate Camera Blurry	2-14%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	1-02%	0-00%	0-00%	0-00%	0-00%	3-00%

Generated By: SPEERY

Generated On: 8/14/2014 7:48:12 AM

Customer Management Report (Bakersfield) All Detection Types

01-Jun-2014 to 30-Jun-2014

Operator Id: %

	BA-CAOA-01	BA-CAST-01	BA-CHBR-01	BA-COTR-01	BA-COTR-03	BA-MI99-01	BA-MIRE-01	BA-OACA-01	BA-OSBE-01	BA-STCA-01	BA-WHMI-01	BA-WIWH-01	TOTAL
Rear Plate Flash Inappropriate	1-07%	0-00%	0-00%	1-06%	0-00%	0-00%	0-00%	0-00%	1-01%	0-00%	0-00%	0-00%	3-00%
Rear Plate No Flash	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	2-02%	0-00%	0-00%	0-00%	2-00%
Scene Image No Flash	0-00%	0-00%	0-00%	1-06%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	1-00%
Police Rejects													
Driver Unidentifiable images poor	1-07%	13-14%	7-19%	1-06%	1-11%	8-44%	29-48%	4-10%	26-20%	30-29%	37-30%	15-18%	172-24%
Red-light not visible in	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	0-00%	4-04%	0-00%	0-00%	4-01%
Total	5-36%	16-17%	7-19%	3-17%	1-11%	9-50%	31-52%	6-15%	33-26%	34-33%	37-30%	15-18%	197-27%
Approved Violations	9-64%	80-83%	30-81%	15-83%	8-89%	9-50%	29-48%	34-85%	94-74%	70-67%	85-70%	67-82%	530-73%
Total Notices Printed	9-64%	80-83%	30-81%	15-83%	8-89%	9-50%	29-48%	34-85%	94-74%	70-67%	85-70%	67-82%	530-73%

Legend: (P) = Production (I) = Inoperative

Note: If you selected "All" from the "Approach:" drop down list, the statuses reflected in this report will only indicate the current

Generated By: SPEERY

Generated On: 8/14/2014 7:48:12 AM