

#### **Location Performance Detail Report**

Submission Criteria From Violation Date: 5/1/2012 To Violation Date: 5/31/2012 Violation Type: ALL

Location: SB20 SB N WATERMAN AVE @ E HIGHLAND AVE Total Events: 153

Controllable Rejections  VEH POS FRAME A - VEHICLE OVER VIO LINE  VIDEO MISSING	Totals:	Violation Events Rejected 1 1	Rejection Percentage To All Events 0.65% 0.65% 1.31%	Rejection Percentage to Controllable 50.00% 50.00%
Non-Controllable Rejections CROSS LANE TRIGGER DMV - NO MATCHES OR RECORDS FACE OBSTRUCTED - OTHER PLATE - NO PLATE/TEMPORARY PLATE PLATE - STATE UNREADABLE OR NON-US PLATE/VEHICLE OBSTRUCTED	Totals:	Violation Events Rejected 9 1 3 6 1 1	Rejection Percentage To All Events 5.88% 0.65% 1.96% 3.92% 0.65% 0.65% 13.73%	Rejection Percentage to Non-Controllable 42.86% 4.76% 14.29% 28.57% 4.76% 4.76% 100.00%
Non-Violations  EMT/POLICE/FIRE/GOV/DIPLOMAT  LANE CHANGE-NO EVNT  NO VEHICLE PRESENT  REAR AXLE ACTIVATION - TRUCKS  TOO CLOSE TO CITE  VEHICLE STOPPED - NO VIOLATION	Totals:	Violation Events Rejected 9 1 2 8 33 54	Rejection Percentage To All Events 5.88% 0.65% 0.65% 1.31% 5.23% 21.57% 35.29%	Rejection Percentage to Non-Violations 16.67% 1.85% 1.85% 3.70% 14.81% 61.11%



Submission Criteria	From Violation Date: 5/1/2012		To Violation Date:	5/31/2012	Violation Type: ALL	
	Total Controllable Rejections:	Totals 2	% to Total Violations 1.31%			
-	Total Non-Controllable Rejections: Non-Violations:	21 54	13.73% 35.29%			
	:Total of All Site Rejections:	77	50.33%			
	Violations Still in Workflow:	0	0.00%			
	Total Citations Issued: Issuance Rate:	76 97.44%	49.67%			



#### **Location Performance Detail Report**

Submission Criteria From Violation Date: 5/1/2012 To Violation Date: 5/31/2012 Violation Type: ALL

Location: SB22 WB E HIGHLAND AVE @ N WATERMAN AVE Total Events: 62

Controllable Rejections LIGHTING - FRONT WINDSHIELD GLARE SUN F VEH POS FRAME A - VEHICLE OVER VIO LINE VIDEO SKIPPING OR POOR QUALITY		Violation Events Rejected 1 2 1	Rejection Percentage To All Events 1.61% 3.23% 1.61% 6.45%	Rejection Percentage to Controllable 25.00% 50.00% 25.00%
Non-Controllable Rejections CROSS LANE TRIGGER FACE OBSTRUCTED - OTHER	Totals:	Violation Events Rejected 2 5	Rejection Percentage To All Events 3.23% 8.06% 11.29%	Rejection Percentage to Non-Controllable 28.57% 71.43% 100.00%
Non-Violations EMT/POLICE/FIRE/GOV/DIPLOMAT LANE CHANGE-NO EVNT VEHICLE STOPPED - NO VIOLATION	Totals:	Violation Events Rejected 4 1 20	Rejection Percentage To All Events 6.45% 1.61% 32.26%	Rejection Percentage to Non-Violations 16.00% 4.00% 80.00%
Total Controllable Rejections: Total Non-Controllable Rejections: Non-Violations: :Total of All Site Rejections: Violations Still in Workflow: Total Citations Issued: Issuance Rate:	Totals  4  7  25  36  0  26  86.67%	% to Total Violations 6.45% 11.29% 40.32% 58.06% 0.00% 41.94%		



#### **Location Performance Detail Report**

Submission Criteria From Violation Date: 5/1/2012 To Violation Date: 5/31/2012 Violation Type: ALL

Location: SB25 NB S PEPPER AVE @ W MILL ST Total Events: 240

Controllable Rejections FACE OBSTRUCTION - DOOR FRAME VEH POS FRAME A - VEHICLE OVER VIO LINE	Totals:	Violation Events Rejected 1 1	Rejection Percentage To All Events 0.42% 0.42% 0.83%	Rejection Percentage to Controllable 50.00% 50.00%
Non-Controllable Rejections CROSS LANE TRIGGER		Violation Events Rejected 44	Rejection Percentage To All Events	Rejection Percentage to Non-Controllable 69.84%
FACE OBSTRUCTED - OTHER PLATE - NO PLATE/TEMPORARY PLATE		6 7	18.33% 2.50% 2.92%	9.52% 11.11%
PLATE UNREADABLE-MARRED PLATE/VEHICLE OBSTRUCTED		5 1	2.08% 0.42%	7.94% 1.59%
	Totals:	63	26.25%	100.00%
Non-Violations		Violation Events Rejected	Rejection Percentage To All Events	Rejection Percentage to Non-Violations
EMT/POLICE/FIRE/GOV/DIPLOMAT		Rejected 1	0.42%	1.37%
LANE CHANGE-NO EVNT		4	1.67%	5.48%
REAR AXLE ACTIVATION - TRUCKS		5	2.08%	6.85%
TOO CLOSE TO CITE		20	8.33%	27.40%
VEHICLE STOPPED - NO VIOLATION		43	17.92%	58.90%
	Totals:	73	30.42%	100.00%



Submission Criteria	From Violation Date: 5/1/2012		To Violation Date: 5/31	1/2012 Violation Type:	ALL
	Total Controllable Rejections:	Totals 2	% to Total Violations 0.83%		
	Total Non-Controllable Rejections:	63	26.25%		
	Non-Violations:	73	30.42%		
	:Total of All Site Rejections:	138	57.50%		
	Violations Still in Workflow:	0	0.00%		
	Total Citations Issued:	102	42.50%		
	Issuance Rate:	98.08%			



#### **Location Performance Detail Report**

Submission Criteria From Violation Date: 5/1/2012 To Violation Date: 5/31/2012 Violation Type: ALL

Location: SB26 SB S PEPPER AVE @ W MILL ST Total Events: 239

Controllable Rejections LIGHTING - LOW LIGHT - NO DRIVER ID VEH POS FRAME A - VEHICLE OVER VIO LIN	- <del>-</del>	Violation Events Rejected 1 2	Rejection Percentage To All Events 0.42% 0.84%	Rejection Percentage to Controllable 33.33% 66.67%
	Totals:	3	1.26%	100.00%
Non-Controllable Rejections CROSS LANE TRIGGER		Violation Events Rejected 6	Rejection Percentage To All Events 2.51%	Rejection Percentage to Non-Controllable 30.00%
DMV - NO MATCHES OR RECORDS		1	2.51% 0.42%	5.00%
FACE OBSTRUCTED - OTHER		6	2.51%	30.00%
PLATE - NO PLATE/TEMPORARY PLATE		3	1.26%	15.00%
PLATE UNREADABLE-MARRED		1	0.42%	5.00%
PLATE/VEHICLE OBSTRUCTED		3	1.26%	15.00%
	Totals:	20	8.37%	100.00%
Non-Violations EMT/POLICE/FIRE/GOV/DIPLOMAT		Violation Events Rejected 3	Rejection Percentage To All Events 1.26%	Rejection Percentage to Non-Violations 1.65%
LANE CHANGE-NO EVNT		2	0.84%	1.10%
REAR AXLE ACTIVATION - TRUCKS		1	0.42%	0.55%
TOO CLOSE TO CITE		8	3.35%	4.40%
VEHICLE STOPPED - NO VIOLATION		168	70.29%	92.31%
	Totals:	182	76.15%	100.00%



Submission Criteria	From Violation Date: 5/1/2012		To Violation Date: 5/3	31/2012 Violation Type	: ALL
	Total Controllable Rejections:	Totals 3	% to Total Violations 1.26%		
	Total Non-Controllable Rejections:	20	8.37%		
	Non-Violations:	182	76.15%		
	:Total of All Site Rejections:	205	85.77%		
	Violations Still in Workflow:	0	0.00%		
	Total Citations Issued:	34	14.23%		
	Issuance Rate:	91.89%			



#### **Location Performance Detail Report**

From Violation Date: 5/1/2012 To Violation Date: 5/31/2012 Violation Type: ALL Submission Criteria

512 **Total Events:** Loca

cation: SB27 EB W BASELINE ST @ N MT VERNON AVE				T
Controllable Rejections  FACE OBSTRUCTION - DOOR FRAME LIGHTING - FLASH DID NOT TRIGGER - FRONT LIGHTING - FLASH DID NOT TRIGGER - REAR LIGHTING - LOW LIGHT - NO PLATE ID PLATE OVEREXPOSED - SUN OR FLASH VEH POS FRAME A - VEHICLE OVER VIO LINE	Violation Events Rejected 1 2 2 4 1	Rejection Percentage To All Events 0.20% 0.39% 0.39% 0.78% 0.20% 0.20%	Rejection Percentage to Controllable 9.09% 18.18% 18.18% 36.36% 9.09%	
Totals:	11	2.15%	100.00%	
	Violation Events	Rejection Percentage	Rejection Percentage to	
Non-Controllable Rejections CROSS LANE TRIGGER	Rejected 15	To All Events 2.93%	Non-Controllable 37.50%	
DMV - NO MATCHES OR RECORDS	4	0.78%	10.00%	
FACE OBSTRUCTED - OTHER	6	1.17%	15.00%	
PLATE - NO PLATE/TEMPORARY PLATE	9	1.76%	22.50%	
PLATE - STATE UNREADABLE OR NON-US	1	0.20%	2.50%	
PLATE UNREADABLE-MARRED	2	0.39%	5.00%	
PLATE/VEHICLE OBSTRUCTED	_ 1	0.20%	2.50%	
SUN GLARE-NO DRIVER ID	1	0.20%	2.50%	
VIOLATION DATE IS PAST ENFORCEABLE DATE	1	0.20%	2.50%	
Totals:	40	7.81%	100.00%	
	Violation Events	Rejection Percentage	Rejection Percentage to	
Non-Violations	Rejected	To All Events	Non-Violations	
EMT/POLICE/FIRE/GOV/DIPLOMAT	9	1.76%	4.57%	
LANE CHANGE-NO EVNT	3	0.59%	1.52%	
REAR AXLE ACTIVATION - TRUCKS	2	0.39%	1.02%	
TOO CLOSE TO CITE	41	8.01%	20.81%	
TRAFFIC SIGNAL - GREEN OR YELLOW	1	0.20%	0.51%	
VEHICLE STOPPED - NO VIOLATION	141	27.54%	71.57%	



#### **Location Performance Detail Report**

Submission Criteria From Violation Date: 5/1/2012 To Violation Date: 5/31/2012 Violation Type: ALL

Location: SB27 EB W BASELINE ST @ N MT VERNON AVE Total Events: 512

	Totals:	197	38.48%	
T. ( ) O . ( )   U . D . ( )	Totals	% to Total Violations		
Total Controllable Rejections:	11	2.15%		
Total Non-Controllable Rejections:	40	7.81%		
Non-Violations:	197	38.48%		
:Total of All Site Rejections:	248	48.44%		
Violations Still in Workflow:	0	0.00%		
Total Citations Issued:	264	51.56%		
Issuance Rate:	96.00%			





#### **Location Performance Detail Report**

To Violation Date: 5/31/2012 Violation Type: ALL Submission Criteria From Violation Date: 5/1/2012

495 **Total Events:** Loca

	Violation	Rejection	Rejection
	Events	Percentage	Percentage to
Controllable Rejections	Rejected	To All Events	Controllable
CAMERA FOCUS - FRONT	1	0.20%	4.76%
FACE OBSTRUCTION - DOOR FRAME	1	0.20%	4.76%
LIGHTING - FLASH DID NOT TRIGGER - FRONT	2	0.40%	9.52%
LIGHTING - LOW LIGHT - NO DRIVER ID	10	2.02%	47.62%
VEH POS - TOO NEAR	1	0.20%	4.76%
VEH POS FRAME A - VEHICLE OVER VIO LINE	6	1.21%	28.57%
Totals:	21	4.24%	100.00%
	Violation	Rejection	Rejection
	Events	Percentage	Percentage to
Non-Controllable Rejections	Rejected	To All Events	Non-Controllable
CROSS LANE TRIGGER	8	1.62%	15.09%
DMV - NO MATCHES OR RECORDS	3	0.61%	5.66%
FACE OBSTRUCTED - OTHER	21	4.24%	39.62%
PLATE - NO PLATE/TEMPORARY PLATE	14	2.83%	26.42%
PLATE UNREADABLE-MARRED	1	0.20%	1.89%
PLATE/VEHICLE OBSTRUCTED	3	0.61%	5.66%
SUN GLARE-NO DRIVER ID	2	0.40%	3.77%
VIOLATION DATE IS PAST ENFORCEABLE DATE	1	0.20%	1.89%
Totals:	53	10.71%	100.00%
	Violation	Rejection	Rejection
	Events	Percentage	Percentage to
Non-Violations	Rejected	To All Events	Non-Violations
EMT/POLICE/FIRE/GOV/DIPLOMAT	6	1.21%	3.37%
LANE CHANGE-NO EVNT	1	0.20%	0.56%
REAR AXLE ACTIVATION - TRUCKS	15	3.03%	8.43%
TOO CLOSE TO CITE	43	8.69%	24.16%
TRAFFIC SIGNAL - GREEN OR YELLOW	4	0.81%	2.25%
VEHICLE STOPPED - NO VIOLATION	109	22.02%	61.24%



#### **Location Performance Detail Report**

Submission Criteria From Violation Date: 5/1/2012 To Violation Date: 5/31/2012 Violation Type: ALL

Location: SB28 WB W BASELINE ST @ N MT VERNON AVE Total Events: 495

	Totals:	178	35.96%	100.
Tatal Cantrallable Deigetions	Totals	% to Total Violations		
Total Controllable Rejections:	21	4.24%		
Total Non-Controllable Rejections:	53	10.71%		
Non-Violations:	178	35.96%		
:Total of All Site Rejections:	252	50.91%		
Violations Still in Workflow:	0	0.00%		
Total Citations Issued:	243	49.09%		
Issuance Rate:	92.05%			





#### **Location Performance Detail Report**

Submission Criteria From Violation Date: 5/1/2012 To Violation Date: 5/31/2012 Violation Type: ALL

Location: SB29 NB N WATERMAN AVE @ E BASELINE ST Total Events: 135

Controllable Rejections LIGHTING - LOW LIGHT - NO DRIVER ID VEH POS FRAME A - VEHICLE OVER VIO LINE	_	Violation Events Rejected 1 3	Rejection Percentage To All Events 0.74% 2.22% 2.96%	Rejection Percentage to Controllable 25.00% 75.00%
	Totals:	4	2.90%	100.00%
Non-Controllable Rejections		Violation Events Rejected	Rejection Percentage To All Events	Rejection Percentage to Non-Controllable
DMV - NO MATCHES OR RECORDS		3	2.22%	33.33%
FACE OBSTRUCTED - OTHER PLATE - NO PLATE/TEMPORARY PLATE		2	1.48%	22.22% 22.22%
PLATE - NO PLATE/TEMPORART PLATE  PLATE UNREADABLE-MARRED		2	1.48% 0.74%	22.22% 11.11%
SUN GLARE-NO DRIVER ID		1	0.74%	11.11%
CON CLARE-NO BRIVER ID		'		
	Totals:	9	6.67%	100.00%
		Violation	Rejection	Rejection Percentage to
Non-Violations		Events	Percentage	Non-Violations
EMT/POLICE/FIRE/GOV/DIPLOMAT		Rejected 3	To All Events 2.22%	7.50%
LANE CHANGE-NO EVNT		4	2.96%	10.00%
REAR AXLE ACTIVATION - TRUCKS		1	0.74%	2.50%
TOO CLOSE TO CITE		14	10.37%	35.00%
TRAFFIC SIGNAL - GREEN OR YELLOW		3	2.22%	7.50%
VEHICLE STOPPED - NO VIOLATION		15	11.11%	37.50%
	Totals:	40	29.63%	100.00%



Submission Criteria	From Violation Date: 5/1/2012		To Violation Date: 5/31/2012		Violation Type: ALL	
	Total Controllable Rejections:	Totals 4	% to Total Violations 2.96%			
	Total Non-Controllable Rejections:	9	6.67%			
	Non-Violations:	40	29.63%			
	:Total of All Site Rejections:	53	39.26%			
	Violations Still in Workflow:	0	0.00%			
	Total Citations Issued:	82	60.74%			
	Issuance Rate:	95.35%				





#### **Location Performance Detail Report**

Submission Criteria From Violation Date: 5/1/2012 To Violation Date: 5/31/2012 Violation Type: ALL

Location: SB30 WB E BASELINE ST @ N WATERMAN AVE Total Events: 174

Controllable Rejections LIGHTING - LOW LIGHT - NO DRIVER ID VEH POS FRAME A - VEHICLE OVER VIO LINI	E Totals:	Violation Events Rejected 1 1	Rejection Percentage To All Events 0.57% 0.57% 1.15%	Rejection Percentage to Controllable 50.00% 50.00%
Non-Controllable Rejections CROSS LANE TRIGGER DMV - NO MATCHES OR RECORDS PLATE - NO PLATE/TEMPORARY PLATE		Violation Events Rejected 19 2 6	Rejection Percentage To All Events 10.92% 1.15% 3.45%	Rejection Percentage to Non-Controllable 67.86% 7.14% 21.43%
SUN GLARE-NO DRIVER ID	Totals:	1 <b>28</b>	0.57% <b>16.09%</b>	3.57% 100.00%
Non-Violations  EMT/POLICE/FIRE/GOV/DIPLOMAT  LANE CHANGE-NO EVNT  REVERSE LANE TRIGGER  TOO CLOSE TO CITE  TRAFFIC SIGNAL - GREEN OR YELLOW  VEHICLE STOPPED - NO VIOLATION		Violation Events Rejected 4 8 1 13 1	Rejection Percentage To All Events 2.30% 4.60% 0.57% 7.47% 0.57% 9.77%	Rejection Percentage to Non-Violations 9.09% 18.18% 2.27% 29.55% 2.27% 38.64%
	Totals:	44	25.29%	100.00%



Submission Criteria	From Violation Date: 5/1/2012		To Violation Date: 5/31/2012		Violation Type: ALL	
	Total Controllable Rejections:	Totals 2	% to Total Violations 1.15%			
	Total Non-Controllable Rejections:	28	16.09%			
	Non-Violations:	44	25.29%			
	:Total of All Site Rejections:	74	42.53%			
	Violations Still in Workflow:	0	0.00%			
	Total Citations Issued:	100	57.47%			
	Issuance Rate:	98.04%				

